SylSafe Suspended Adjustable Exit Signs ADJ SUSP LED Exit Sign Arrow Down

9154042



Product features

Adjustable Suspended LED emergency exit sign arrow down (EC standard), adjusted suspension from 100mm to 400mm, white finish, 18 x long life white LEDs, includes 3.6V 1.0Ah NiCd battery, charge current 90mA nominal, Recharge period: 24hrs (14hrs for 1 hour duration), 8VA (SELV) through suspension cables, IP20.











NOTES

undefined

PRODUCT OVERVIEW

| IPC Code | 9154042 |
|----------------------------|--|
| Product name | ADJ SUSP LED Exit Sign Arrow Down |
| Technology | LED |
| Housing | Metal/plastic |
| Mount | Ceiling surface mounting, Suspended |
| General application | Education, Hospitality, Office, Retail |
| Colour temperature (K) | 4000 |
| Light colour | Neutral White |
| Average life (Nominal) (h) | 50000 |
| Housing colour | White |
| IP rating | IP20 |
| Included lamp | INTEGRATED LED |

DATA TABLE

| General data | |
|-------------------------|--|
| IPC Code | 9154042 |
| Product name | ADJ SUSP LED Exit Sign Arrow Down |
| Technology | LED |
| Housing | Metal/plastic |
| Mount | Ceiling surface mounting, Suspended |
| General application | Education, Hospitality, Office, Retail |
| Optical data | |
| Colour temperature (K) | 4000 |
| Light colour | Neutral White |
| Adjustable chromaticity | N |
| Emergency duration (h) | 3 |



SylSafe Suspended Adjustable Exit Signs ADJ SUSP LED Exit Sign Arrow Down 9154042

| Lifetime data | |
|---|--------------------------------|
| Average life (Nominal) (h) | 50000 |
| | |
| Physical data | |
| Housing colour | White |
| IP rating | IP20 |
| Nominal Product Length (mm) | 340 |
| Nominal Product Width (mm) | 30 |
| Nominal Product Height (mm) | 185 |
| rtoninia i roddot riolgin (min) | |
| Weight (kg) | 1.7 |
| Weight (kg) | 1.7 |
| | 1.7 |
| Weight (kg) | 1.7 Carton |
| Weight (kg) Packaging | |
| Weight (kg) Packaging Single packaging type | Carton |
| Weight (kg) Packaging Single packaging type Packaging single length / height (cm) | Carton 40.0 |
| Packaging Single packaging type Packaging single length / height (cm) Packaging single width (cm) | Carton 40.0 20.0 |
| Weight (kg) Packaging Single packaging type Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) | Carton 40.0 20.0 20.0 |
| Weight (kg) Packaging Single packaging type Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm) Units per outer package | Carton 40.0 20.0 20.0 |

TECHNICAL DRAWINGS



SylSafe Suspended Adjustable Exit Signs ADJ SUSP LED Exit Sign Arrow Down 9154042



