

# SylSafe Suspended Adjustable Exit Signs

## ADJ SUSP LED Exit Sign Arrow Up

### 9154299



#### Product features

- Adjustable Suspended LED emergency exit sign arrow up (ISO standard), adjusted suspension from 100mm to 400mm, white finish, 18 x long life white LEDs, includes 3.6V 1.0Ah NiCd battery, charge current 90mA nominal, Recharge period: 24hrs (14hrs for 1 hour duration), 8VA (SELV) through suspension cables, IP20.



## PRODUCT OVERVIEW

IPC Code	9154299
Product name	ADJ SUSP LED Exit Sign Arrow Up
Technology	LED
Housing	Metal/plastic
Mount	Ceiling surface mounting, Suspended
General application	Education, Hospitality, Office, Retail
Colour temperature (K)	4000
Light colour	Neutral White
Average life (Nominal) (h)	50000
Housing colour	White
IP rating	IP20
Included lamp	INTEGRATED LED

## DATA TABLE

### General data

IPC Code	9154299
Product name	ADJ SUSP LED Exit Sign Arrow Up
Technology	LED
Housing	Metal/plastic
Mount	Ceiling surface mounting, Suspended
General application	Education, Hospitality, Office, Retail

### Optical data

Colour temperature (K)	4000
Light colour	Neutral White
Adjustable chromaticity	N
Emergency duration (h)	3

### Lifetime data

Average life (Nominal) (h)	50000
----------------------------	-------

### Physical data

Housing colour	White
----------------	-------

## SylSafe Suspended Adjustable Exit Signs

### ADJ SUSP LED Exit Sign Arrow Up

### 9154299


IP rating	IP20
Nominal Product Length (mm)	340
Nominal Product Width (mm)	30
Nominal Product Height (mm)	185
Weight (kg)	1.7

#### Packaging

Single packaging type	Carton
Packaging single length / height (cm)	40.0
Packaging single width (cm)	20.0
Packaging single depth (cm)	20.0
Units per outer package	1
Packaging outer length / height (cm)	40.0
Packaging outer width (cm)	20.0
Packaging outer depth (cm)	20.0

## PHOTOMETRY

## TECHNICAL DRAWINGS



## SylSafe Suspended Adjustable Exit Signs

*ADJ SUSP LED Exit Sign Arrow Up*  
9154299

